

## HVMC Electron Beam Welding Capability

### Process Summary

Electron beam welding (EBW) is a joining process where a beam of high-velocity electrons is utilised for welding. The high kinetic energy of the electrons is transformed into heat upon impact, thus melting the material and fusing two parts together. In order to prevent dissipation of the electron beam, EBW usually requires a vacuum – this can also benefit the weld quality by avoiding oxidation. The required vacuum chamber is also commonly used as a radiation protection enclosure against X-rays produced as a by-product of the process. Modern EBW units generally have a computer numerical control (CNC) capability. The electro-magnetic nature of the electron beam allows easy control and fast deflection of the beam facilitating automated CNC driven manufacturing.

### Process Advantages

Due to the high energy density of the electron beam, the process generally has a very localised heat input leading to a very narrow fusion and heat affected zone, high depth-to-width ratio welds, and low distortion. Single pass butt welds may be made without costly filler material and inter-stage non-destructive testing. Single pass welding is also possible for thick joints, generally to thicknesses of 100 mm although significantly higher thickness are achievable with specialised set-ups.

EBW is a very rapid joining process and welding velocities of several metres per minute can be realised, depending on the quality required and the joint thickness. High quality welds with low levels of contamination can be achieved due to welding in vacuum. For some metal combinations, dissimilar metal welds can be accomplished.

An alternative application for EBW is the production of hermetic sealing of components while retaining an internal vacuum which may be beneficial – for example, for hot isostatic pressing applications. By including wire feeding systems, it is possible to modify the chemical composition of the fusion zone in order to control certain material properties, to repair worn parts such as titanium aero blades, or to build up new three dimensional parts (additive manufacturing).

### HVMC capability

The HVM Catapult EBW capability is located at the Nuclear AMRC, which operates two EBW units. Details are provided in the table below. The K25 is a medium sized unit where the EB gun is attached externally either vertically or horizontally. The K2000 consists of a mobile EBW gun mounted inside the vacuum chamber on a gantry system, allowing linear CNC movements of the gun in three directions and rotations around two axes. The vacuum chamber has a volume of 208 cubic metres and is the largest in the UK and possibly the largest operated by a research institution in the world. The powerful mechanical and diffusion pumps can achieve a vacuum of  $10^{-4}$  mbar within 45 minutes.

*Capability details of the K25 and K2000*

	Units	K25	K2000
Chamber size	[m <sup>3</sup> ]	1.6x1.2x 1.2	8.7 x 5.2 x 4.6
Chamber volume	[m <sup>3</sup> ]	2.5	208
Max. work piece size	[m <sup>3</sup> ]	Task dependent	6.4 x 4.0 x 3.2
Max. work piece load	[tonne]	0.5	100
Max. x-y working envelope	[m <sup>2</sup> ]	0.7 x 0.3	6.2 x 3.4

Max. z working envelope	[m]	0.2	3.1
Max. rotational axis diameter	[m]	0.6	3.0
Max. beam power	[kW]	40	40
Max. acceleration voltage	[kV]	80	80
Max. beam current	[mA]	500	500
Wire feeder	#	n/a	2 off ( $\varnothing$ 0.8-1.2 mm)
Pump down time	[min]	10	45

## Typical applications

EBW is widely used in industry where high value, high quality welds are required. The extremely stable and high repeatability of the process makes it ideal for automated mass production. EBW is for example extensively utilised in the manufacturing of automotive and aeronautic components. One goal driven within the HVM Catapult is to develop EBW manufacturing routes for large scale, thick walled components such as those required in nuclear reactor plant pressure vessels and primary circuit components.

## Contact Details:

For more information please contact:

Bernd Baufeld, NAMRC

[bernd.baufeld@namrc.co.uk](mailto:bernd.baufeld@namrc.co.uk)





Figure 1 – Single Track EBW of Thick Section Steel



*Figure 2 – Large Scale Electron Beam Welding*



*Figure 3 – Electron Beam Welding in Action*